

Dr. Peter Klug  
Dr. Reinhard Kreiling  
Clariant GmbH  
Div. Functional Chemicals  
R&D Personal Care  
65926 Frankfurt/Main  
Germany  
Tel. + 49-69-305-18100  
Fax. +49-69-318435  
[peter.klug@clariant.com](mailto:peter.klug@clariant.com)



FDA Docket No. 2004N-0050

Safety and Effectiveness Information for  
Piroctone Olamine

Submitted Pursuant to 21 C.F.R. § 330.14(f)  
and § 330.10(a)(2)

August 13, 2004

References (Efficacy)  
E1 – E24

Vol. 5 of 6

RPT 1

## Efficacy References (Vol. 5)

- (E1) The aetiology of dandruff and the mode of action of the therapeutic agents. S. Shuster, British Journal of Dermatology 111 (1984) 235-242.
- (E2) Fast, noninvasive method for molecular detection and differentiation of Malassezia yeast species on human skin and application of the method to dandruff microbiology. C. M. Gemmer, Y. M. DeAngelis, B. Theelen, T. Boekhout, T. L. Dawson, Journal of Clinical Microbiology, 40 (2002) 3350-3357.
- (E3) Brochure Octopirox ®, Hoechst AG, 1991.
- (E4) Brochure Antidandruff Active Ingredient Octopirox ®, Clariant GmbH, 2003.
- (E5) Specification Piroctone Olamine, Hoechst AG, 1983.
- (E6) Specification Octopirox ® (Piroctone Olamine) Clariant GmbH, 2001.
- (E7) Report Hoechst AG, H 726146A, 05.01.1977.
- (E8) Report Hoechst AG, H 726146A, 26.10.1981.
- (E9) Testing of Octopirox against Pityrosorum Ovale (orbiculare) in vitro/Dr. Hänel, Hoechst AG, 1990.
- (E10) Report on tests for the determination of the substantivity of Octopirox ® on the scalp, Dr. Futterer, Hoechst AG, 20.12.1976.
- (E11) Stability test of Octopirox ® (piroctone olamine) substance for 3 years at room temperature, Dr. Futterer, Hoechst AG, 30.06.1981.
- (E12) Stability test of Octopirox ® shampoo (0,5 % w/w) for 3 years at room temperature, Dr. Futterer, Hoechst AG, 25.09.1981.
- (E13) In vitro susceptibility of Malassezia furfur. A. Schmidt, B. Rühl-Hörster, Arzneim.-Forsch./Drug Res. 46 (1996) 442-444.
- (E14) Radiometrische Untersuchungen zur Substantivität des Antischuppenwirkstoffes Piroctone Olamine an Humanhaar. K. Lötsch, J. Herok, 11<sup>th</sup> International ISFCC Congress, „Cosmetics: Research and Technology, Venezia-Lido, 23-26.09.1980.
- (E15) Comparaison de la thermostabilite d'antipelliculaires naturels et de synthese (climbazole et piroctone olamine). C. Coiffard, L. Coiffard, Y. de Roeck-Holtzhauer, Ann. Pharm. Fr. 57 (1999) 392-396.

- (E16) Photodegradation of piroctone olamine in aqueous diluted solutions – Effect of the presence of anionic surfactants, M. T. Le, L. J. M: Coiffard, F. Peigne, Y. de Roeck-Holtzhauer, S.T.P. Pharma Sciences 6 (1996) 455-458.
- (E17) HPLC determination of Ciclopirox, Octopirox and Pyrithiones in Pharmaceuticals and Antidandruff Preparations. L. Gagliardi, G. Multari, G. Cavazzutti, D. De Orsi, D. Tonelli, J. Liq. Chrom & Rel. Technol. 21(1998) 2365-2373.
- (E18) Simultaneous determination of four anti-dandruff agents including octopirox in shampoo products by reversed-phase liquid chromatography. L. Chao, International Journal of Cosmetics Science, 23 (2001) 183-188.
- (E 19) Spectrophotometric determination of Octopirox in cosmetic compositions (e.g. Shampoo), Clariant GmbH, May 2000.
- (E 20) Determination of Octopirox in Shampoos by HPLC, Clariant GmbH, 02.03.2001.
- (E 21) Dr. Futterer, Antidandruff activity of Octopirox, Hoechst AG, 18.04.1978.
- (E 22) Piroctone Olamine shampoo vs. an inactive shampoo anti-dandruff activity using the half-head technique/Life Science Research, 24.04.1980.
- (E 23) Piroctone Olamine shampoo vc. a competitor's shampoo, anti-dandruff activity using the half-head-technique. Life Science Research, 1981.
- (E 24) Piroctone Olamine shampoo vs. 1 % DTPD/MgSO<sub>4</sub> Shampoo, comparative trial of antidandruff efficacy using the half-head technique/Life Science Research Ltd, 27.06.1984.